



# Material Safety Data Sheet

## 1. Product and Company Identification

**Product Code** ....CW

**Product Name** ....BRICKFORM® Color Wax

**Manufacturer** .....BRICKFORM, A Division of Solomon Colors, Inc.

**Address** .....360 S Lilac Avenue

**City, State, Zip**....Rialto, CA 92376

**Emergency Phone** ....800-373-7542

**Business Phone** .....909-484-3399

**Business Fax**.....217-744-2605

**Last Updated** .....May 02, 2013

## 2. Composition / Information on Ingredients

Chemical Name	CAS No.	ACGIH TLV	OSHA PEL	%
Ethylene Glycol*	107-21-1	50 ppm	NA	<3

\* Denotes reportable chemicals pursuant to SARA Title III, Section 313.

Balance is non-hazardous trade secret components, TSRN: ABQ-677.

## 3. Physical and Chemical Characteristics

**Specific Gravity (H<sub>2</sub>O=1):** 1.2

**Boiling Point:** 388 °F (197.8 °C)

**Melting Point:** N/A

**Vapor Pressure:** Equal to water

**Vapor Density:** Greater than air

**Evaporation Rate:** Less than ether

**Solubility In Water:** Miscible

**VOC:** 166 grams/liter

## 4. Fire Explosion and Reactivity Data

**Flash Point:** >200 °F (93.3 °C)

**Flammable Limits:** LEL: 3.2 UEL: N/A

**Firefighting Media:** Foam, water, carbon dioxide or dry chemical

**Special Firefighting Procedure:** Wear self-contained breathing apparatus

**Unusual Fire Hazards:** Containers exposed to intense heat could rupture

**Reactivity:** Stable

**Incompatibilities:** Strong oxidizing agents, e.g. bleach

**Decomposition or Byproducts:** Fire conditions: carbon monoxide, carbon dioxide, other oxides, smoke

**Hazardous Polymerization:** Will not occur

**Conditions to Avoid:** N/A

**NFPA Ratings:** Health = 1 Fire = 0 Reactivity = 0 Other = N/A (0 = Least hazardous, 4 = Most hazardous)

### 5. Health Hazard Data

**Routes of Entry:** Inhalation: Yes **Skin Contact:** Yes **Ingestion:** Yes

**Health Hazards:** Overexposure to vapor can cause narcosis, dizziness. Excessive skin contact can cause drying and irritation.

**Carcinogenicity:** NTP? No **IARC?** No **OSHA?** No

**Sign and Symptoms Of Exposure:** Dizziness, headache, irritation of the respiratory tract (nose, throat, lungs) and skin, unconsciousness and even asphyxiation at high concentrations.

**Aggravated Medical Conditions:** Pre-existing lung, heart, kidney, liver and skin disorders.

#### Emergency and First Aid Procedures

**Inhalation:** Remove to fresh air. If victim has stopped breathing, qualified personnel should administer CPR and seek medical help immediately.

**Skin Contact:** Wash off with water; consult a physician if irritation persists.

**Eye Contact:** Rinse with water for 15 minutes, consult a physician.

**Ingestion:** Do not induce vomiting. If conscious, give one or two glasses of water. Seek medical attention immediately.

### 6. Spill Procedures and Waste Disposal

**Spill:** Contain spill and absorb. Keep from entering storm drains.

**Waste Disposal:** According to Federal, State and Local regulations.

**Precautions for Safe Handling And Storage:** Store in a cool, dry area.

**Other Precautions:** Do not mix with other chemicals. This is a commercial product, not intended for home use. Keep out of reach of children.

### 7. Protective Control Measures

**Respirator:** Approved mechanical filter respirator.

**Ventilation:** Normal Local Exhaust: Yes Mechanical: N/A Special: N/A

**Protective Gloves:** Yes

**Eye Protection:** Yes

**Other Protective Clothing Required:** Normal for painting or seal application.

**Work/Hygiene Practices:** Wash hands after use and before eating, drinking or smoking.