



MATERIAL SAFETY DATA SHEET

PRODUCT: I.P.130 ALPINE PREMIUM 100% ACRYLIC FLAT ROOF PAINT - WHITE

HMS CODES: H C F R PREPARED BY: INFINITI PAINTS AND COATINGS
1 0 0 0 DATE PRINTED: 10/11/2007

===== [SECTION I - MANUFACTURER IDENTIFICATION] =====

MAUNFACTURER'S NAME: INFINITI PAINTS AND COATINGS
ADDRESS: BOX 199, 5445 MURRELL RD., UNIT 102, VIERA, FL 32955
INFORMATION PHONE: 321-636-9555
EMERGENCY PHONE: 866-990-9555

===== [SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION] =====

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE		WEIGHT PERCENT
		mm Hg @	TEMP	
* ETHELENE GLYCOL OSHA VPEL: 50.00 ppm – CEILING ACGIH TLV: 100.00 mg / m3 – Aerosol Ceiling	107-21-1	.99	68 F	1.5

(*) Indicates toxic chemical(s) subject to reporting requirements of section 313 of Title III and of 40 CFR 372.
N/A

===== [SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS] =====

BOILING RANGE: 379.0 F WPG (H 2 0 = 8.33): 12.16 LB / GL
VAPOR DENSITY: HEAVIER THAN AIR EVAPORATION RATE: SLOWER THAN ETHER
APPEARANCE & ODOR: N / A SOLUBILITY IN WATER: SOLUBLE

COATING VOC: 0.75 lbs./ gl.

COATING VOC: 89 g/l

===== [SECTION IV - FIRE AND EXPLOSION HAZARD DATA] =====

FLASH POINT: N / A METHOD USED: N / A

FLAMMABLE LIMITS IN AIR BY VOLUME - LOWER: N/A UPPER: N/A

EXTINGUISHING MEDIA: Foam, Alcohol Foam, CO2, Dry Chemical, Water Fog

SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus and protective clothing should be worn when fighting fires involving chemicals. If a large amount is involved, evacuate anyone not properly protected.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Closed containers may explode when exposed to extreme heat.

===== [SECTION V - REACTIVITY DATA] =====

STABILITY: Stable HAZARDOUS POLYMERIZATION: Will Not Occur

CONDITIONS TO AVOID: None.

INCOMPATIBILITY: Oxidizing materials can cause reaction.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Carbon dioxide, carbon monoxide, various hydrocarbons.

===== [SECTION VI - HEALTH HAZARD DATA] =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: Inhalation: Irritates respiratory passages and eyes very slightly. May cause headache or nausea.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE: Eye contact: Direct contact irritates slightly with redness and swelling.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: Skin contact: Can dry and defat skin causing cracks, irritation, and dermatitis.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: Ingestion: Can cause gastrointestinal irritation.

HEALTH HAZARDS (Acute and Chronic): Acute: Eyes: Slight irritation with redness. Skin: No adverse effect. Inhalation: Irritates respiratory passage. Ingestion: Large amounts may cause digestive discomfort. Chronic: None known.

-- CARCINOGENICITY --

NTP CARCINOGEN: No

IARC MONOGRAPHS: No

OSHA REGULATED: No

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Dermatitis, respiratory tract irritation.

EMERGENCY AND FIRST AID PROCEDURES: Inhalation overexposure: Move person to fresh air. If breathing is difficult, administer oxygen. If breathing has stopped give artificial respiration and get medical attention. Eye contact: Flush with large quantities of water for 15 minutes. Skin contact: Wash thoroughly with soap and water. Remove contaminated clothing. Ingestion: Do not induce Vomiting, can cause chemical pneumonitis and pulmonary edema. Contact a Physician immediately. If symptoms persist get medical attention.

===== [SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE] =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Dike spill area and cover with inert, absorbent material and remove to disposal container. Mop with mild detergents or cleaning solutions. Observe federal, state, and local laws.

WASTE DISPOSAL METHOD: Consult local, state, and federal waste regulations before disposing into approved waste landfills. Obey relevant laws. **** DO NOT INCINERATE CLOSED CONTAINERS ****

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Handling: No special precautions. Storage: No special precautions. Use reasonable care.

OTHER PRECAUTIONS: BEFORE USING ANY INFINITI PAINT PRODUCT, READ THE PRODUCT LABEL!

===== [SECTION VIII - CONTROL MEASURES] =====

RESPIRATORY PROTECTION: Not required under normal conditions of use. When spraying this material use in well ventilated area.

VENTILATION: General mechanical ventilation or local exhaust should be suitable to keep vapor concentrations below TLV.

PROTECTIVE GLOVES: Gloves may be worn for protection if skin is sensitive. (Latex, neoprene, nitrile rubber)

EYE PROTECTION: Use chemical safety glasses, goggles, or face shields for eye protection.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Use protective clothing whenever possible to prevent skin contact.

WORK/HYGIENIC PRACTICES: Eye wash and safety showers in the workplace are recommended.

===== [SECTION IX - DISCLAIMER] =====

To the best of our knowledge, the information contained herein is accurate, obtained from sources believed by **Infiniti Paints and Coatings** to be accurate at the time of preparation. **Infiniti Paints and Coatings** do not assume any legal responsibility for use or reliance upon same. • **BEFORE USING ANY INFINITI PRODUCT, READ THE LABEL DIRECTIONS THOROUGHLY** •